Department of Defense Standardization Program



ASSIST UPDATE

(Formerly the DoDISS Notice)

(A bi-monthly summary of changes to the ASSIST document database)

1 March 2007

(For the Period 15 February 2007 to 28 February 2007)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.
"N" indicates that a "new" document has been entered into the ASSIST database.
"M" indicates that a document already in ASSIST has been "modified" in some way.
The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at http://assist.daps.dla.mil for the most current information.
If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm .
Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: http://assist.daps.dla.mil/online/news/AlertService.htm .

ASSIST UPDATE

TICTIVE BECTION	ABBIST CIDATE					
		DISTRIBUTION			>	
		BU	ŒA		ACTY	
		FR	FSC/AREA	-	ΡA	
DOCUMENT NUMBER	DOCUMENT TITLE	SIC	3SC	MCA	PREP	DATE
M MIL-W-13855D(2) NOT 3	Weapons, Small Arms and Aircraft Armament Subsystems, General Specification for [CUST: AR]	ĪĀ	1005		AR	08-FEB-2007
M MIL-PRF-5041K SUP 1	Tires, Ribbed Tread, Pneumatic, Aircraft [CUST: AV AS 70] [REVIEW: MC]	A			70	20-FEB-2007
M MIL-PRF-7726K SUP 1	Retread Tires, Ribbed Tread, Pneumatic Aircraft [CUST: AV AS 70 GS]	A	2620		70	20-FEB-2007
M QPL-5041-32	Tires, Ribbed Tread, Pneumatic, Aircraft	A	2620		70	20-FEB-2007
M QPL-7726-10	Retread Tires, Ribbed Tread, Pneumatic Aircraft	A			70	20-FEB-2007
M A-A-50499A NOT 2	Tamper, Vibrating Plate Type, Gasoline and Diesel Engine Driven [CUST: YD]	1	3895	/	IS	05-MAR-2007
N A-A-59795 M A-A-50547 NOT 2	Truck, Lift, Fork, Container Handler, Diesel-Engine-Driven, Pneumatic-Tired, Rough Terain 50,000-Pound Capacity [CUST: 99] Bag, Lineman's Glove [CUST: YD]		3930 4240	/	84 IS	21-FEB-2007
M MIL-DTL-3992F	Hose and Hose Assembly, Rubber, Air and Vacuum Brake, Systems [CUST: AT MC 99 CC] [REVIEW: 71 MI SA]	1	4720	/	CC	08-MAR-2007 30-JAN-2007
M MIL-DTL-26633E	Hose Assembly, Nonconductive, Polytetrafluoroethylene, Oxygen [CUST: AV AS 99 CC] [REVIEW: 71 CG MC SA SH]	A	4720		CC	17-JAN-2007
M MIL-DTL-25677E	Adapter, Cap, and Nozzle, Pressure Lubricating Oil Servicing, Aircraft, General Specification for [CUST: AS 99 CC] [REVIEW: 06 70 71 CG MC SA]	A	4730		CC	22-JAN-2007
M A-A-50473B NOT 2	Oilers, Hand, Push-Bottom [CUST: YD] [REVIEW: CC EA MC]	A	4930	/	IS	05-MAR-200
M A-A-50492A NOT 2	Oilers, Air Line [CUST: YD] [REVIEW: CC]	A	4930	/	IS	05-MAR-200
M A-A-50688 NOT 2	Sentry Building, Mobile	1	5410	/	IS	08-MAR-200
M A-A-55522A NOT 1	BARBED TAPE, CONCERTINA [CUST: 99 IS]	1	5660	/	IS	05-MAR-2007
M MIL-PRF-39007/8K(2) NOT 1	Resistor, Fixed, Wire-Wound (Power Type), Nonestablished Reliability, Established Reliability, and Space Level Style RWR80 [CUST: CR EC 11 NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CR	22-FEB-2007
M A-A-55564A NOT 1	Resistor, Voltage Sensitive (Varistor), General Requirements for [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M A-A-55564/1A NOT 1	Resistor, Voltage Sensitive (Varistor), Base Mount [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M A-A-55564/2A NOT 1	Resistor, Voltage Sensitive (Varistor), Metal-Oxide, High Energy [CUST: EC CC]	A	5905	/	CC	20-FEB-2007
M QPL-39035-84	Resistors, Variable, Nonwire Wound (Adjustment Type), Nonestablished Reliability, and Established Reliability, General Specification for		5905		CC	05-MAR-2007
M MIL-PRF-11693/7E NOT 1	Capacitors, Feed through, Radio-Interference Reduction, DC (Hermetically Sealed in Metal Cases) Established and Non-Established Reliability Styles CZ23, CZ24, CZR23 and CZR24 [CUST: CR EC 11 CC] [REVIEW: EA MI]	A	5910		CC	28-FEB-2007
M MIL-PRF-39001/5D(2) NOT 1	Capacitors, Fixed, MICA Dielectric, Established Reliability, Styles CMR03, CMR04, CMR05, CMR06, CMR07 and CMR08 [CUST: CR EC 11 CC] [REVIEW: 19 AV MC MI]		5910		CR	22-FEB-2007
M MIL-PRF-39018/1G	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU12 (Uninsulated), CU13 (Insulated), and CUR13 (Insulated) [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	02-MAR-200′
M MIL-PRF-55514/1C NOT 1	Capacitors, Fixed, Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability, Style CFR02 [CUST: CR EC 11 CC] [REVIEW: 19 71 AS MC OS]		5910		CR	22-FEB-2007
M MIL-PRF-55514/4F NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability and Non-Established Reliability, Styles CFR05 and CFR06 [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]	A	5910		CR	22-FEB-2007
M MIL-PRF-55514/7B(1) NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC-AC, in Nonmetal Cases, Established Reliability, Style CFR09 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS]		5910		CC	28-FEB-2007
M MIL-PRF-55514/8G NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability, Style CFR12 and CFR16 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS]		5910		CR	05-MAR-200
M MIL-PRF-55514/13 NOT 1	Capacitors, Fixed, Metalized Plastic Dielectric, FIXED, DC-AC, in Nonmetal Cases, Established Reliability, Style CFR30 [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS]		5910		CC	28-FEB-2007
M MIL-PRF-15160J(1) SUP 1 M A-A-59718A	Fuses, Instrument, Power, and Telephone General Specification for [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD] Fuse Ledward Link Bolton Control Restriction for [CUST: EC CC]		5920	,	CC	21-FEB-2007
M A-A-59718/1A	Fuse, Inclosed Link, Bolt-on, General Requirements for [CUST: EC CC] Fuse, Inclosed Link, Bolt-on, Miniature [CUST: EC CC]	1	5920 5920	,	CC	22-FEB-2007 22-FEB-2007
M A-A-59718/2A	Fuse, Inclosed Link, Bolt-on [CUST: EC CC]	A		/	CC	22-FEB-2007
M QPL-15160-69	Fuses, Instrument, Power, and Telephone General Specification for	1	5920	,	CC	22-FEB-2007
M MIL-DTL-23928/4C(1)	Panel, Electrical, Power Distribution for Double AQB-A101 and NQB-A101 Circuit Breakers, 2-12 Circuits, with and without Manual Transfer, Dripproof, Totally Enclosed and Watertight [CUST: SH	1	5925		CC	12-FEB-2007
M MIL-PRF-22710/12G	CC] Switches, Code Indicating Wheel (Printed Circuit), (Thumbwheel Switch Assembly, Sealed Modules, Illuminated or Non-Illuminated), (Top Relampable), Style SRPC12 [CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM]	A	5930		CC	22-FEB-2007
M MIL-DTL-3950/15(1)	Switches, Toggle, Momentary, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC	01-MAR-200
M MIL-DTL-3950/16(1)	Switches, Toggle, Momentary, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930		CC	01-MAR-200
M MIL-DTL-3950/17(1)	Switches, Toggle, Momentary, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]		5930		CC	01-MAR-200
M MIL-DTL-15743/1C	Switch, Rotary, Enclosed, Submersible (15 Feet), Snap Action, 125 Volts Alternating Current, 10 Ampere, Symbol 801.1 (DPST) [CUST: SH CC]		5930		CC	28-FEB-2007
M MS25225J	Guard, Switch, 3 Position [CUST: CR AS 11 CC] [REVIEW: 99]	1	5930		CC	22-FEB-2007
N EIA-RS448.4	Logic (TTL) Level Endurance and Low Level Endurance, Standard Test Methods for [CUST: EC CC]	A	5930		CC	02-MAR-200
M MIL-PRF-39012/18H	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC, (Cabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA	A	5935		CC	16-NOV-200
M MIL-PRF-39012/19H	MC MI OS SH] Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	16-NOV-200
M MIL-PRF-39012/20H	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series BNC (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	16-NOV-2000
M MIL-PRF-39012/21B	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MI OS]	A	5935		CC	16-NOV-2000
1 1/10 2005		\perp				

01-MAR-2007

ASSIST UPDATE

	CITYE SECTION	ASSIST OFDATE					
z			N				
[O			ĭ			>	
CI			BU	EA		J.	
T A			Z	ĄΚ	_	ЬА	
LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
-	DOCUMENT NUMBER	DOCUMENT TITLE			Σ		DATE
M	MIL-PRF-39012/22B	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Flange Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH]	A	5935		CC	16-NOV-2006
M	MIL-PRF-39012/23B	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Right Angle, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT AV CR4	A	5935		CC	16-NOV-2006
M	MIL-PRF-39012/24D	MI OS] Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series BNC (Uncabled), Socket Contact, Hermetic Sealed, Jam Nut Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99	A	5935		CC	16-NOV-2006
M	MIL-DTL-2726/37F	AR AS AT AV CR4 MI OS] Receptacle, Electrical, 15 - Ampere, 125 - Volt, 60 Hertz, Bladed Type, Grounded (Symbol No. 1099.1) [CUST: SH CC]	A	5935		CC	01-NOV-2006
M	MIL-DTL-28731F	Connectors, Electrical, Rectangular, Removable Contact, Formed Blade, Fork Type (for Rack and Panel and other Applications) General Specification for [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT MI OS SH]	A	5935		CC	22-JAN-2007
M	MIL-DTL-32234 SUP 1	Connectors, Electrical, Ultra High Density, Modular, Blade and Fork, Eight Row, General Specification for [CUST: CR EC 11 CC]	A	5935		CC	12-FEB-2007
M	A-A-59125A NOT 1	Terminal Boards, Molded, Barrier Screw and Stud Types and Associated Accessories [CUST: CR AS 11] [REVIEW: GS]	A	5940	/	CR	22-FEB-2007
M	MIL-PRF-21038/27E(2) NOT 1	Transformers, Pulse, Low Power [CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS CR4 MC MI OS SH]	A	5950		CC	26-FEB-2007
M	MIL-PRF-19500/454G	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N5660, 2N5660U3, 2N5661, 2N5661U3, 2N5662, and 2N5663, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	13-FEB-2007
M	MIL-PRF-19500/560H	Semiconductor Device, Transistor, NPN, Silicon, Switching, Type 2N5339 and 2N5339U3, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR 11 CC] [REVIEW: 19 71 99 MI]		5961		CC	09-FEB-2007
1	QML-38535-20	Integrated Circuits (Microcircuits) Manufacturing, General Requirements for		5962		CC	02-FEB-2007
1	MIL-DTL-9415B	Dynamic Loudspeaker LS-184A/AIC-10 [CUST: 11 CC] [REVIEW: 99]	A			CC	17-JAN-2007
1	MIL-DTL-22442/63(1)	Cable Assembly, Aircraft Audio, AWICS CH-46E, CH-53D, CH-53E, and MH-53E [CUST: AS]		5995		AS	22-FEB-2007
1	MIL-PRF-49471B(1) SUP 1 NOT 1	Batteries, Non-Rechargeable, High Performance [CUST: CR AS 99]		6135		CR	22-FEB-2007
1	MIL-PRF-49471/1A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X599/U [CUST: CR] [REVIEW: GS]		6135		CR	22-FEB-2007
1	MIL-PRF-49471/2A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X598/U [CUST: CR] [REVIEW: GS]	A			CR	22-FEB-2007
	MIL-PRF-49471/3A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X590/U [CUST: CR] [REVIEW: GS]		6135		CR	22-FEB-2007
	MIL-PRF-49471/6A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X557/U [CUST: CR] [REVIEW: GS]	A			CR	22-FEB-2007
M	MIL-PRF-49471/7A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X558/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
M	MIL-PRF-49471/8A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X600/U [CUST: CR] [REVIEW: GS]	A	6135		CR	22-FEB-2007
	MIL-PRF-49471/9A(1) NOT 1	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5372/U [CUST: CR] [REVIEW: GS]		6135		CR	22-FEB-2007
1	MIL-PRF-49471/10A(2) NOT 1	Battery, Non-Rechargeable, High Performance, Watertight, BA-X112/U [CUST: CR AS 99]	A			CR	22-FEB-2007
ı	MIL-PRF-49471/11A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X800/U [CUST: CR] [REVIEW: GS]	A			CR	22-FEB-2007
ı	MIL-PRF-49471/12A(1) NOT 1	Battery, Non-Rechargeable, High Performance, BA-X093/U [CUST: CR] [REVIEW: GS]		6135		CR	22-FEB-2007
	MIL-PRF-49471/13A(3) NOT 1 MIL-PRF-49471/14A(1) NOT 1	Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5368/U [CUST: CR] [REVIEW: GS] Battery, Non-Rechargeable, Lithium Manganese Dioxide, High Performance, BA-5374/U [CUST:		6135 6135		CR CR	22-FEB-2007 22-FEB-2007
	MIL-PRF-8565/18	CR] [REVIEW: GS] Battery, Storage, Aircraft, Maintenance-Free, 24-Volt, 10-Ampere-Hour [CUST: AS]		6140		AS	09-MAR-2007
	MIL-PRF-49450B(1) NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft [CUST: CR] [REVIEW: GS]	A			CR	22-FEB-2007
	MIL-DTL-24643/62	Cable, Electrical, Type LSPB2SD (Including Variations LSPB2SDW, LSPB2SDOS, LSPB2SDOSW) [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A			SH	01-MAR-2007
N	MIL-DTL-24643/63	Cable, Electrical, 1000 Volts, Type LSYSGU [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A	6145		SH	01-MAR-2007
	MIL-DTL-24643/65	Cable, Electrical, Type LS3C179DT (Including Variation LS6C179DT) [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A			SH	01-MAR-2007
1	QPL-24640-28	Cables, Light-Weight, Electric, for Shipboard Use, General Specification for		6145		SH	22-JAN-2007
1	QPL-AS7788-1 NOT 2	Panels, Information, Integrally Illuminated	A			AS	28-FEB-2007
	MS28933 NOT 3	Lamp, Incandescent - T-20 Bulb, Medium Bipost Base [CUST: AS 99 IS]	A			IS	05-MAR-2007
1	QPL-6363-5	Lamps, Incandescent, Aircraft Service, General Specification for	A			AS	21-FEB-2007
ı	MIL-PRF-83287G	Indicators, Fault Locating, General Specification for [CUST: AV AS 11 CC] [REVIEW: 99 MI]	A			CC	15-FEB-2007
	MIL-PRF-83287/1D MIL-PRF-83287/2E	Indicators, Fault Locating, Flag Indicating, Mechanical Reset [CUST: AV AS 11 CC] [REVIEW: 84 MI] Indicators, Fault Locating, Flag Indicating, Electrical Reset [CUST: AV AS 11 CC] [REVIEW: 84	A	6625 6625		CC	15-FEB-2007 15-FEB-2007
	MIL-PRF-83287/3C	MI] Indicators, Fault Locating, Ball Indicating, Electrical Reset [CUST: AV AS 11 CC] [REVIEW: 84		6625		СС	15-FEB-2007
	MIL-PRF-83287/4C	MI] Indicators, Fault Locating, Dual Drum Indicating, Mechanical Reset [CUST: AS 11 CC]	A			CC	15-FEB-2007
M	A-A-50227 NOT 3	T-Squares (Metal, Wood, and Plastic) [CUST: CE 99 IS] [REVIEW: 71 MC]	A	6675	/	IS	05-MAR-2007
	A-A-52001 NOT 3	Planetables, Surveying, with Tripod and Carrying Case [CUST: CE YD 99 IS] [REVIEW: 71 CG MC]	A		/	IS	08-MAR-2007
1	A-A-52002 NOT 3	Level, Circular, Rod [CUST: CE IS]	A		/,	IS	08-MAR-2007
1	A-A-52003 NOT 3 A-A-52024 NOT 2	Measurer, Map [CUST: CE 99 IS] [REVIEW: 71 MC] Compass, Magnetic: Surveyor's and Transit, Pocket; with Optional Ball and Socket Joint or Ball and Socket Head, and Jacob's Staff [CUST: CE 99 IS] [REVIEW: 71]	A A	6675 6675	/	IS IS	08-MAR-2007 08-MAR-2007
М	A-A-52025 NOT 2	Levels, Surveying: Abney Type [CUST: CE YD IS] [REVIEW: MC]	A	6675	/	IS	08-MAR-2007
1	A-A-52034A NOT 2	Drafting Instrument Sets and Drafting Instruments [CUST: CE 99 IS] [REVIEW: MC YD]	A		,	IS	08-MAR-2007
l .	A-A-52035 NOT 2	Protractor, One Arm: Semicircular (Corrosion-Resistant Alloy, with Case [CUST: CE 99 IS] [REVIEW: MC YD]	A		/	IS	08-MAR-2007
M	A-A-52040 NOT 2	Stereoscopes, Lens, Aerial Photograph Interpretation (Pocket [CUST: CE IS]	Α	6675	/	IS	08-MAR-2007
ı	MIL-DTL-24577A	Distiller Scale Preventive Treatment Formulations [CUST: SH GS3]	A			GS3	26-FEB-2007
1	A-A-59601D	Dry Cleaning and Degreasing Solvent, PD680 [CUST: AS 68]	Α		/	GS3	28-FEB-2007
ı	QPL-24577-15	Distiller Scale Preventive Treatment Formulations	Α			GS3	26-FEB-2007
ı	MIL-DTL-85054C NOT 1	Corrosion Preventive Compound, Clear (AMLGUARD) [CUST: AS]		8030		AS	22-FEB-2007
	MAR 2007	1 / / / / / / / / / / / / / / / / / / /					

01-MAR-2007 2

ACTIVE SECTION

ASSIST LIPDATE

ACTIVE SECTION	ASSIST UPDATE					
AST ACTION		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
DOCUMENT NUMBER M MIL-PRF-29597C(2)	DOCUMENT TITLE Bag, Odor Barrier, Flexible - for Food Contaminated Plastic Waste [CUST: AS] [REVIEW: SA]	A		Σ	AS	DATE 21-FEB-2007
N MIL-DTL-32237 M MIL-DTL-3943/77G	Boot, Combat, Hot Weather Army [CUST: GL CT] Decoration, Exceptional Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8430 8455		CT IH	06-FEB-2007 02-FEB-2007
M MIL-DTL-3943/78G	Decoration, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	02-FEB-2007
M MIL-DTL-3943/146E	Decoration, Distinguished Service Medal, Department of Homeland Security [CUST: IH] [REVIEW: CT]	A	8455		IH	01-MAR-2007
N MIL-DTL-32235 N MIL-DTL-32235/1	Heater Module, General Specification for [CUST: GL SA 35] [REVIEW: MC MD QM SS] Heater Module, Type I: Magnesium and Iron Heater, Assembly Required [CUST: GL SA 35] [REVIEW: MC MD QM SS]		8970 8970		GL GL	12-FEB-2007 12-FEB-2007
M MIL-PRF-27401E M MIL-DTL-23549D NOT 1	Propellant Pressurizing Agent, Nitrogen [CUST: MI AS 68 PS] [REVIEW: 11 19] Grease, General Purpose [CUST: AS 11 GS3] [REVIEW: GS OS SH]		9135 9150		68 AS	23-FEB-2007 20-FEB-2007
M MIL-STD-001553B(6) NOT 3	Digital Time Division Command/Response Multiplex Data Bus [CUST: 11]	D	MCCR		11	28-FEB-2007
M DI-MGMT-81737 M DI-TMSS-81666B	Implementation Plan [AMSC: G7706] Maintenance Manual Changes [AMSC: G7711]		MGMT TMSS		NS NS	15-FEB-2007 23-FEB-2007
01 MAP 2007						

3

01-MAR-2007

INACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER MIL-DTL-51489A(3) MIL-DTL-51489A(3) MIL-DTL-51489A(3) MIL-C-518E NOT 1 MIL-C-518E NOT 1 MIL-C-518E NOT 1 MIL-C-11015/10F(1) MIL-C-11015/10F(1) MIL-C-11015/10F(1) MIL-C-11015/10F(1) MIL-C-18312/SC NOT 1 MIL-DTL-2726/31B MIL-C-18312/SC NOT 1 MIL-DTL-2726/31B MIL-C-18312/SC NOT 1 MIL-DTL-2726/33C MIL-C-18312/SC NOT 1 MIL-DTL-2726/34D MIL-DTL-2726/35C MIL-DT	A A A		MCA CC C	DATE 08-FEB-2007 05-MAR-2007 28-FEB-2007 06-MAR-2007
M MIL-DTL-51489A(3) M MS17241B(1) NOT 3 M MS17241B(1) NOT 3 M MIL-C-5/18E NOT 1 MIL-C-5/18E NOT 1 MIL-C-5/18E NOT 1 MIL-C-11015/10F(1) M MIL-C-11015/10F(1) M MIL-C-11015/10F(1) M MIL-C-11015/10F(1) M MIL-C-18312F NOT 1 MIL-C-18312F NOT 1 MIL-C-18312F NOT 1 MIL-C-18312F NOT 1 MIL-C-18312Z NOT 1 MIL	D A A A A A	D 1320 A 4130 A 5910 A 5910 A 5910	EA IS CC CC	08-FEB-2007 05-MAR-2007 28-FEB-2007
M. MIL-C-5/18E NOT 1	A A A A	4130 5910 5910 5910	EA IS CC CC	05-MAR-2007 28-FEB-2007
MIL-C-1812/3C NOT 1 Capacitors, Fixed, MICA Dielectric, Styles CM04, CM05, CM06, CM07, CM08, CM09, CM10, CM11, CM12, and CM13 [CUST: CR ÉC 11 CC] [REVIEW: 19 AS CG MC OS SH] MIL-C-18312F NOT 1 MIL-C-18312F NOT 1 MIL-C-18312P NOT 1 MIL-C-18312C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for [CUST: CR EC 11 CC] [REVIEW 19 AS MC MI OS] MIL-C-18312/2C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW: 19 AS AS MC OS] MIL-C-18312/3C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] MIL-C-18312/4C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] MIL-PRF-15160/51B(1) MIL-PRF-15160/51B(1) MIL-DTL-2726/31B Receptacle, Plug, Electrical 10 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC] MIL-DTL-2726/33C MIL-DTL-2726/35C MIL-DTL-2726/35C MIL-DTL-2726/35C MIL-DTL-2726/35C MIL-DTL-2726/35C MIL-DTL-2726/36C	A A A	5910 5910 5910	CC	28-FEB-2007
CM11, CM12, and CM13 [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH] Capacitors, Fixed, Ceramic Dielectric (General Purpose), Style CK61 [CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS SH] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for [CUST: CR EC 11 CC] [REVIEW 19 AS MC MI OS] M MIL-C-18312/2C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/3C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/4C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-PRF-15160/51B(1) Fusce: Instrument, Power, and Telephone (Nonindicating), Style F51 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] M MIL-DTL-2726/33C M MIL-DTL-2726/34D Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Male (Symbol No. 1214.4 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1213.3 Red; Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213	A A	5910 5910	CC	
M MIL-C-11015/10F(1) M MIL-C-18312F NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), General Specification for [CUST: CR EC 11 CC] [REVIEW 19 AS MC OS] M MIL-C-18312/2C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW 19 AR AS MC OS] M MIL-C-18312/3C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/4C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH52 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-T-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-T-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-T-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases),	A A	A 5910		06-MAP 2007
Hermetically Sealed in Metal Cases), General Specification for [CUST: CR EC 11 CC] [REVIEW 19 AS MC MI OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] Fuses: Instrument, Power, and Telephone (Nonindicating), Style F51 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] Receptacle, Plug, Electrical 10 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Male (Symbol No. 1214.2 - Red; Symbol No. 1214.4 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Female Type (Symbol No. 1213.2 - Red; Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 - Red; Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.2 - Red; Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Amper	: A		CC	00-WAR-200/
Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH09 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/3C NOT 1		5910		28-FEB-2007
(Hermetically Sealed in Metal Cases), Style CH12 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/4C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-PRF-15160/51B(1) Fuses: Instrument, Power, and Telephone (Nonindicating), Style F51 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] M MIL-DTL-2726/31B Receptacle, Plug, Electrical 10 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC] M MIL-DTL-2726/33C Receptacle, Plug, Electrical, 40-ampere, 125-Volt, Single Pole, Male (Symbol No. 1214.5 - Black) [CUST: SH CC] M MIL-DTL-2726/34D M MIL-DTL-2726/35C Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Female Type (Symbol No. 1213.2 - Red; Symbol No. 1214.4 - Black) [CUST: SH CC] M MIL-DTL-2726/36C Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1213.2 - Red; Symbol No. 1213.3 - Black) [CUST: SH CC] M MIL-DTL-2726/36C Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 - Black) [CUST: SH CC] M MIL-DTL-2726/36C Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] M MIL-M-38510/207D M MIL-DTL-13253/4B M MIL-DTL-13253/4B M MIL-DTL-3253/4B M MIL-DTL-6484D M MIL-DTL-6484D M MIL-DTL-6484D Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]	A		CC	28-FEB-2007
Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH53 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-C-18312/5C NOT 1 Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-PRF-15160/51B(1) M MIL-DTL-2726/31B M MIL-DTL-2726/31B M MIL-DTL-2726/33C M MIL-DTL-2726/33C M MIL-DTL-2726/34D M MIL-DTL-2726/34D M MIL-DTL-2726/35C M MIL-DTL-2726/35C M MIL-DTL-2726/35C M MIL-DTL-2726/35C M MIL-DTL-2726/36C M MIL-DTL-325/4B M MIL-DTL-325/4B M MIL-DTL-325/4B M MIL-DTL-325/4B M MIL-DTL-325/4B M MS1/183B Clamp Assembly (Synchro) [CUST: CR SH 99 CC] [REVIEW: AR AS CG MC MI] Clamp Assembly (Synchro) [CUST: AS CC] Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]		A 5910	CC	28-FEB-2007
Capacitors, Fixed, Metallized (Paper-Plastic, or Plastic Film) Dielectric, Direct Current (Hermetically Sealed in Metal Cases), Style CH54 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS] M MIL-PRF-15160/51B(1) Fuses: Instrument, Power, and Telephone (Nonindicating), Style F51 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS] M MIL-DTL-2726/31B Receptacle, Plug, Electrical 10 - Ampere, 125 - Volt, Double Pole, Male (Symbol No. 729.1) [CUST: SH CC] M MIL-DTL-2726/33C Receptacle, Plug, Electrical, 40-ampere, 125-Volt, Single Pole, Male (Symbol No. 1214.2 - Red; Symbol No. 1214.5 - Black) [CUST: SH CC] M MIL-DTL-2726/34D Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Female Type (Symbol No. 1214.4 - Black) [CUST: SH CC] M MIL-DTL-2726/35C Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC] M MIL-DTL-2726/36C Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Red; Symbol No. 1213.3 - Black) [CUST: SH CC] M MIL-PRF-39016/45D Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] M MIL-DTL-13253/4B Mill-DTL-13253/4B Handset, Type H-23()/U [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] M MIL-DTL-6484D Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]	A	A 5910	CC	28-FEB-2007
M MIL-PRF-15160/51B(1) M MIL-DTL-2726/31B M MIL-DTL-2726/31B M MIL-DTL-2726/31B M MIL-DTL-2726/33C M MIL-DTL-2726/33C M MIL-DTL-2726/34D M MIL-DTL-2726/34D M MIL-DTL-2726/34D M MIL-DTL-2726/35C M MIL-DTL-2726/36C M MIL-DTL-3726/36C M	A	A 5910	CC	28-FEB-2007
[CUST: SH CC] M MIL-DTL-2726/33C Receptacle, Plug, Electrical, 40-ampere, 125-Volt, Single Pole, Male (Symbol No. 1214.2 - Red; Symbol No. 1214.5 - Black) [CUST: SH CC] M MIL-DTL-2726/34D Receptacle, Plug, Electrical, 40 - Ampere, 125 Volt, Single Pole, Female Type (Symbol No. 1214. Red; Symbol No. 1214.4 - Black) [CUST: SH CC] M MIL-DTL-2726/35C Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC] M MIL-DTL-2726/36C Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Panel No. 1213.5 - Black) [CUST: SH CC] M MIL-PRF-39016/45D M MIL-PRF-39016/45D M MIL-M-38510/207D M MIL-M-38510/207D M MIL-DTL-13253/4B M MIL-DTL-13253/4B M MS17183B M MS17183B M MS17185A M MIL-DTL-6484D [CUST: CR EC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1213.5 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1214.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Plug, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1214.2 - Red; Symbol No. 1213.2 - Red;		A 5920	CC	09-FEB-2007
Symbol No. 12Î4.5 - Black) [CUSŤ: SH CC] M MIL-DTL-2726/34D M MIL-DTL-2726/35C M MIL-DTL-2726/35C M MIL-DTL-2726/36C M MIL-DTL-2726/36C M MIL-DTL-2726/36C M MIL-PRF-39016/45D M MIL-DTL-3726/36C M M		5935	CC	01-NOV-2006
M MIL-DTL-2726/35C Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC] M MIL-PRF-39016/45D Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] M MIL-M-38510/207D M MIL-DTL-13253/4B M MIL-DTL-13253/4B M MS17183B M MS17185A M MIL-DTL-6484D Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Female (Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.4 - Black) [CUST: SH CC] Recyptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.4 - Black) [CUST: SH CC] Recyptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.4 - Black) [CUST: SH CC] Recyptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.4 - Black) [CUST: SH CC] Recyptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.5 - Pole, Panel Mounted, Panel Mounted, Panel Mounted, Panel Mounted, Panel Mounted,		5935	CC	01-NOV-2006
1213.2 - Red; Symbol No. 1213.4 - Black) [CUST: SH CC] Receptacle, Electrical, 40 - Ampere, 125 - Volt, Single Pole, Panel Mounted, Male Type (Symbol No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC] MIL-PRF-39016/45D Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] MIL-M-38510/207D Microcircuit, Digital, 256-Bit, SCHOTTKY, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] MIL-DTL-13253/4B Handset, Type H-23()/U [CUST: CR SH 99 CC] [REVIEW: AR AS CG MC MI] MS17183B Clamp Assembly (Synchro) [CUST: AS CC] M MIL-DTL-6484D Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]		A 5935 A 5935	CC	01-NOV-2006
No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC] M MIL-PRF-39016/45D M Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] M MIL-M-38510/207D M MIL-M-38510/207D M MIL-DTL-13253/4B M MIL-DTL-13253/4B M MS17183B M MS17183B M MS17185A M MIL-DTL-6484D No. 1213.3 Red; Symbol No. 1213.5 - Black) [CUST: SH CC] Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 2 Amperes (Latching) [CUST: CR EC 11 CC] [REVIEW: 03 19 90 AS CG MC MI SH SM TD] M MIL-DTL-13253/4B M MS17183B Clamp Assembly (Synchro) [CUST: AS CC] Clamp (Synchro) [CUST: AS CC] Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]		A 5935	cc	01-NOV-2006 01-NOV-2006
[CUŠT: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH ŠM] M MIL-M-38510/207D Microcircuit, Digital, 256-Bit, SCHOTTKY, Bipolar, Programmable Read-Only Memory (Prom), Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] M MIL-DTL-13253/4B Handset, Type H-23()/U [CUST: CR SH 99 CC] [REVIEW: AR AS CG MC MI] Clamp Assembly (Synchro) [CUST: AS CC] M MS17185A Clamp (Synchro) [CUST: AS CC] Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]		5945	CC	26-FEB-2007
Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] M MIL-DTL-13253/4B Handset, Type H-23()/U [CUST: CR SH 99 CC] [REVIEW: AR AS CG MC MI] M MS17183B Clamp Assembly (Synchro) [CUST: AS CC] M MS17185A Clamp (Synchro) [CUST: AS CC] Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]		5962	CC	16-FEB-2007
M MS17185A Clamp (Synchro) [CUST: AS CC] M MIL-DTL-6484D Clamp (Synchro) [CUST: AS CC] Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]	A	5965	CC	10-JAN-2007
M MIL-DTL-6484D Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99] [REVIEW: 71]	A	5990	CC	27-DEC-2006
		5990	CC	27-DEC-2006
	A	A 6220 A 6220	IS IS	09-FEB-2007 28-FEB-2007
M MS17246B NOT 3 Mounting Base, Cockpit Utility [CUST: AV AS 99] [REVIEW: 71]	A		IS	28-FEB-2007 28-FEB-2007
M MIL-PRF-83287/5C Indicators, Fault Locating, Internal Drum Indicating, Electrical Reset, Printed Circuit Mounting [CUST: AS 11 CC]		A 6625	CC	15-FEB-2007

01-MAR-2007

CANCELED SECTION

ASSIST UPDATE

CHITCHED SECTION	ABBIST CLEATE					
Z _C		NO				
CA CHO CHAPTER ACT OF CASE OF		DISTRIBUTION	EA		ACTY	
T		R	/ARJ	_	P A(
O DOCUMENT NUMBER	DOCUMENT TITLE	DIST	FSC/AREA	MCA	PREP	DATE
M DOD-B-82737 SUP 1 NOT 4	Balls, Bearing, Ferrous and Non-Ferrous (for use in Bearings, Valves and Bearing Applications, General Specification for (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]		3110		GS4	28-FEB-2007
M DOD-B-82737/1 NOT 4	Balls, Bearing, Aircraft Quality Steel, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M DOD-B-82737/2 NOT 4	Balls, Bearing, Steel, Chrome Alloy, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M DOD-B-82737/3 NOT 4	Balls, Bearing, Corrosion Resistant Steel, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M DOD-B-82737/4 NOT 4	Balls, Bearing, Steel, Carbon, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M DOD-B-82737/5 NOT 4	Balls, Bearing, Bronze, Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M DOD-B-82737/6 NOT 4	Balls, Bearing, Nickel-Copper Alloy (K-Monel), Metric (No S/S Document) [CUST: AT OS 99 GS4] [REVIEW: 11 84 AV CR IS SH]	A	3110		GS4	28-FEB-2007
M ASTM-C1089	Concrete Poles, Prestressed Spun Cast (No S/S Document) [CUST: CR4 YD 99 IS]		5620		IS	12-FEB-2007
M ASTM-D2436 M MIL-STD-2163C NOT 1	Laboratory Ovens for Electrical Insulation, Forced-Convection (No S/S Document) [CUST: YD] Insert Arrangements for MIL-C-28876 Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini (See Notice 1 for Replacement Information) [CUST: CR SH 11]		5970 6060		YD SH	21-FEB-2007 01-MAR-2007
M MIL-L-87132B NOT 2	[REVIEW: 19 70 71 CC MC MI OS] Lubricant, CETYL Alcohol, 1-Hexadecanol, Application to Fasteners (See Notice 2 for Replacement Information) [CUST: AT AS 11 GS] [REVIEW: 68 AV]	A	9150		11	21-FEB-2007
M ASTM-D3254	Fabric-Reinforced, Vulcanized Rubber Sheeting for Pond, Canal, and Reservoir Lining (No S/S Document) [CUST: MR YD 99] [REVIEW: GS]	A	9320		YD	21-FEB-2007
M ASTM-D702	Cast Methacrylate Plastic Sheets, Rods, Tubes, and Shapes (No S/S Document) [CUST: MR YD 99] [REVIEW: 84 GS SH]	A	9330		YD	21-FEB-2007
M ASTM-A525	Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, General Requirements for (No S/S Document) [CUST: MR YD 99] [REVIEW: IS SH]	A	9515		YD	21-FEB-2007
M ASTM-A642/A642M	Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality, Special Killed (No S/S Document) [CUST: MR YD 99] [REVIEW: IS MC SH]	A	9515		YD	21-FEB-2007
M ASTM-A806/A806M	Steel Sheet, 55 Percent Aluminum-Zinc Alloy Coated by the Hot-Dip Process for Storm Sewer and Drainage Pipe (No S/S Document) [CUST: MR YD 99] [REVIEW: IS SH]	A	9515		YD	21-FEB-2007
M MIL-HDBK-1003/1 NOT 1	Plumbing (S/S by MIL-STD-3007) [CUST: YD]		FACR		YD	30-NOV-2006
M MIL-HDBK-1003/7(1) NOT 2 M MIL-HDBK-1003/8A(2) NOT 3	Steam Power Plants - Fossil Fueled (S/S By MIL-STD-3007) [CUST: YD] Exterior Distribution of Steam, High Temperature Water, Chilled Water, Natural Gas, and		FACR FACR		YD YD	05-DEC-2006 05-DEC-2006
M MIL-HDBK-1003/11 NOT 1	Compressed Air (S/S by MIL-STD-3007) [CUST: YD] Diesel-Electric Generating Plants (S/S by MIL-STD-3007) [CUST: YD]		FACR		YD	05-DEC-2006
M MIL-HDBK-1005/13(2) NOT 3 M MIL-HDBK-1021/1(1) NOT 2	Hazardous Waste Storage Facilities (S/S by MIL-STD-3007) [CUST: YD] Airfield Geometric Design (S/S by MIL-STD-3007) [CUST: YD]		FACR FACR		YD YD	05-DEC-2006 05-DEC-2006
M MIL-HDBK-1021/1(1) NOT 2 M MIL-HDBK-1021/2 NOT 1	General Concepts for Airfield Pavement Design (S/S by MIL-STD-3007) [CUST: YD]		FACR		YD	05-DEC-2006

01-MAR-2007 5